

Pallet Stretch Wrapping Machine

Application

To stretch wrap of Pallets and wooden boxes 4 side at a time with the help of machine grade Stretch Film Rolls.

Features:

- Flexible and convenient to use.
- It adopts Machine Grade Stretch Film roll which stretched upto 300% which results in cost effectiveness.
- System runs on three phase.
- Easy Control Panel for operation.
- Machine's available as per the product size requirement..
- High Quality fabricated M S Body.
- Turntable Variable Speed.
- Top Pressure Plate Mechanism (Optional).
- Fork Lift Blade guides for lifting purpose (Optional).



Technical Specification:

Turn Table Diameter	:	1800 mm
Maximum Load Weight	:	2000 Kgs
Maximum Load Height	:	2000 mm
Machine Dimensions	:	2800 x 1500 x 2200 mm
Power Supply	:	3 Phase
Pre Stretch motor	:	0.5 HP
Film Rack Lift Motor	:	0.5 HP
Turn Table Motor	:	1.5 HP
Controls	:	Programmed PLC
Stretch Capacity	:	upto 300 %
Machine Body	:	MS Painted
Turntable Speed	:	upto 12 rpm
Turntable Drive	:	Heavy Duty Chain Sprocket
Pre Stretch Tower Drive	:	Heavy Duty Chain Sprocket
Speed	:	Variable controlled by VFD (All Motors)
Drive	:	Crompton Greaves/Siemens
Motor	:	Bonvario/Motovario
Gear Box	:	Bonvario
Switches	:	Schneider
Machine Weight	:	700 kgs
Packing Speed	:	Upto 20 pallets per hour (Depending upon the efficiency of the operator)
Film Material	:	LDPE Stretch Film (Machine Grade)
Maximum Film Width	:	500 mm



Regd Office: A-34, Ashok Nagar, Street No. 4, Mandoli Road, Shahdara, Delhi – 110093

Mktg Office: B-169, Ashok Nagar, Street No 6, Shahdara, Delhi - 110093

Ph: 9953471435, 9350471435

E-mail: info@dipackcorporation.in, dipack.corp@gmail.com

www.dipackcorporation.in